



Price List

THAI (Baht) Price include VAT. 7%

June 2007





Sound System Business Co.,Ltd.





67/7 Dynasty complex Soi Latphrao 71 Latphrao Rd.,Wangthonglang Bangkok 10310 Thailand.

Tel: +66(0) 2933-1988, Fax: +66(0) 2933-1985 www.adsaudio.com





Aspect series Touring—Colour Black or optional TurboBlue
Price List

	TA-890H	Tri-amped, 2x10" LMF, 1x10" HMF, 2x50mm HF 1000W pgm LMF, 400W pgm HMF, 200W pgm HF Max SPL 146dB Peak, 95Hz-20kHz, 25°Hx15°V Integral Flyware, NL8, Wheelboard Included 795mmH x 477mmW x 574mmD, 76kg	548,000
	TA-890L	2x15" Neo 2200W pgm LF Max SPL 138dB Peak, 45Hz-250Hz Integral Flyware, NL4, Wheelboard Included 795mmH x 477mmW x 574mmD, 68kg	335,000





Aspect series Touring Hardware

	FB-890/1A	Touring Flybar - 1 Wide A-System Single Pickup Point	64,000
	FB-890/2A	Touring Flybar - 2 Wide A-System Bridle Pickup Points	205,000
	FB-890/3A	Touring Flybar - 3 Wide A-System Single Pickup Point	274,000
	FB-890/2B	Touring Flybar - 2 Wide B-System Bridle Pickup Points	169,000
	FB-890/3B	Touring Flybar - 3 Wide B-System Single Pickup Point	196,000
	FB-890MB	Touring Flybar - Motherbeam to connect 2x FB-8902A/FB-8901A	343,000
	FB-890MBE	Motherbeam Extender to connect FB-8901A to a half MB-890	136,500
	CB-8001	3 leg chain bridle for MB-890 Motherbeam and FB-890/3A	25,000
	CB-8002	2 leg chain bridle for FB-890/2A and FB-890/3B	20,500
	CB-8003	2 leg chain bridle for FB-890/2B	20,500
	FC-890A	A-System choked flying chain	21,000
FC-890B	B-System choked flying chain	17,500	
FC-890BL	B-System inter-cabinet links	8,500	
TS-880/890	Double Action Tilt Strap for TA-880/890 Array	5,000	
	FT-8902A	Flytrunk for 1 x FB-890/2A, 1x FB-890/1A, 1/2x MB890 Motherbeam	228,000
	WB-890	Single Cabinet wheel board	27,000
	WB-890/4	3 or 4 tall wheel board	80,000
	TC-890	Padded transit cover for TA-890H or TA-890L	14,000







Aspect series Amplification and Cabling - For amps specify 110v or 230v

	T-25	Turbosound 2x1250W into 4 ohm switchmode power amplifier	182,000
	T-475	Turbosound 4x750W into 4 or 8 ohm switchmode power amplifier	224,000
	T-45	Turbosound 2x2250W into 4 ohm switchmode power amplifier	253,500
	Amp-890/1	Amp Rack complete with 2xT-25, 3xT-45, Single Phase	1,554,000
	Amp-890/3	Amp Rack complete with 2xT-25, 3xT-45, Three Phase	
	Amp-Rack	Amp Rack only - Wooden Case and Metal Rack Frame	160,000
	Amp-Mains	Mains Distro only - Specify single or 3 phase	91,500
	Amp-Input	Input panel only - 2x25 pin Veam input/link	114,000
	Amp-Output	Output Panel - 2x NL8, 4x NL4, 2x Socapex	110,000
	Amp-Panels	Complete input, output and mains distro panel set	320,000
	SX-12.5	Socapex 12.5 Meter speaker extension	32,000
	SX-25	Socapex 25 Meter speaker extension	41,000
	SX-NL4	Socapex to 8xNL4 4 metre Speaker fanout	39,000
	SX-NL8	Socapex to 4xNL8 4 metre Speaker fanout	41,000
	VV-25/3	25 pin 3 Metre Veam signal extension	46,000
	VV-25/10	25 pin 10 Metre Veam signal extension	52,500
	VV-25/30	25 pin 30 Metre Veam signal extension	73,000
	VV-25/50	25 pin 50 Metre Veam signal extension	91,000
	VV-25/100	25 pin 100 Metre Veam signal extension	137,000
Custom multicore, returns and i/o panel pricing available on request			


Aspect series Trapezoidal—Colour Black or optional TurboBlue
Price List






	TA-880H	Tri-amped, LMF 2x10", HMF 1x10", HF 2x50mm 1000W pgm LMF, 400W pgm HMF, 200W pgm HMF Max SPL 146dB Peak, 95Hz-20kHz, 25°Hx15°V NL8, Optional Flyware, Optional Wheelboard 1025mmH x 477mmW x 463mmD, 59kg	365,000
	TA-880HM	Bi-amped, 1x10" 400W pgm HMF, 2x50mm 200W pgm HF Max SPL 146dB Peak, 405Hz-20kHz, 25°Hx15°V NL8, Optional Flyware 477mmH x 477mmW x 463mmD, 28kg	228,000
	TA-880LM	2x10" 1000W pgm LMF Max SPL 141dB Peak, 95Hz-405Hz NL8, Optional Flyware 566mmH x 477mmW x 463mmD, 36kg	183,000
	TA-880L	2x15" Neo 2200W pgm LF Max SPL 138dB Peak, 45Hz-250Hz NL4, optional wheel kit 795mmH x 477mmW x 574mmD, 50kg	228,000

Aspect series Trapezoidal Hardware


	FB-880/2W	2-Wide Trap flybar - 3-deep max	136,500
	FB-880/3W	3-Wide Trap flybar - 3-deep max	182,000
	CB-8002	2 leg chain bridle for FB-880/3W	20,500
	CB-8003	2 leg chain bridle for FB-880/2W	20,500
	FC-880	Choked flying chain	17,000
	FC-880S	Short flying chain	11,500
	SW-880H	Flying Sword for TA-880H	4,100
	SW-880HM	Flying Sword for TA-880HM	3,800
	SW-880LM	Flying Sword for TA-880LM	3,800
	SL-880	Linch pin for swords	1,400
	SC-880	Spacer Collar for swords	1,900
	TS-880/890	Double Action Tilt Strap for TA-880/890 Array	5,000
	BSC-01	Biscuit to connect rear of cabinets in array	500
	MC-880/2	TA-880 Modular Coupling Kit for 2 Wide Cluster	
	MC-880/3	TA-880 Modular Coupling Kit for 3 Wide Cluster	
	WB-880H	Single Cabinet wheel board	27,000
	T5-Wheels	Wheel kit for TA-880L (4 Wheels inc. Bolts)	5,500
	TC-880H	Padded transit cover for TA-880H	17,000
	TC-880L	Padded transit cover for TA-880L	17,000

Aspect System Subwoofer



	TSW-218	Subwoofer, 2x18" Neo 5" Voice Coils, NL4 2400W Pgm, Max SPL 141dB Peak, 28Hz-150Hz 574mmHx1400mmWx770mmD, 110kg Complete with Heavy Duty Wheels	274,000
---	----------------	--	---------

	TA-500	Three-way, tri-amp or bi-amp , LF 15", MF 1x10", HF 1x50mm 800W pgm LMF, 400W pgm HMF, 100W pgm HF Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V NL8, Optional Flyware, Optional Wheelboard 977mmH x 574mmW x 498mmD, 50kg	245,000
	TA-500-DP	Self-Powered TA-500 Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V Optional Flyware, Optional Wheelboard 977mmH x 574mmW x 498mmD, 55kg	350,000
	TA-500H	Three-way, tri-amp or bi-amp , LF 15", MF 1x10", HF 1x50mm 800W pgm LMF, 400W pgm HMF, 100W pgm HF Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V NL8, Optional Flyware Horizontal version of TA-500	245,000
	TA-500H-DP	Self-Powered TA-500H Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V Optional Flyware Horizontal version of TA-500	350,000
	TA-500HM	Two-way, bi-amp or passive, MF 1x10", HF 1x50mm 400W pgm HMF, 100W pgm HF Max SPL 138dB Peak, 250Hz-18kHz, 50°Hx25°V NL8, Optional Flyware	174,000
	AMP-500DP	TA-500 Amp module - retrofit to TA-500 inc. wiring looms	110,000




Aspect TA-500 Series Hardware

	FK-500/1T	Top row kit to suspend one column of TA-500	19,000
	FK-500/1H	Hinge kit for one wide TA-500 array	124,000
	FK-500/2T	Top row kit for 2 or 3 wide TA-500 arrays	37,500
	FK-500/2H	Hinge kit for 2 or 3 wide TA-500 arrays	128,000
	FK-500/3T	Top row kit for 2 or 3 wide TA-500 arrays	37,500
	FK-500/3H	Hinge kit for 2 or 3 wide TA-500 arrays	128,000
	EB-10/40	M10x40mm Eyebolt	1,800
	WB-TA500	Wheelboard for TA-500 Aspect Wide Cabinet	27,000
	WB-TA500HM	Wheelboard for TA-500HM Aspect Wide Cabinet	25,000


Subwoofer

	B-18	18" Bandpass Subwoofer, 1x18", NL4 1200 W pgm, Max SPL 136dB Peak, 40Hz-150kHz 768mmH x 574mmW x 700mmD, 65kg	136,500
	T4-Wheels	Optional wheel kit for B15/B18	5,000
	B-18DP	Digitally Self-Powered 18" Subwoofer, 1x15", XLR, Powercon Max SPL 136dB Peak, 40Hz-150kHz 768mmH x 574mmW x 700mmD, 67.5kg	237,000
	T4-Wheels	Optional wheel kit for B15/B18	5,000

Electronics







	LMS-D24	24 bit 96kHz, 2 input 4 output digital controller with BV-Net	96,000
	LMS-D26	24 bit 96kHz, 2 input 6 output digital controller with BV-Net	123,000
	BV-Net-USB	BV-Net USB/RS-232 Converter, port powered in USB mode	20,500
	BV-Net-PSU	Power supply for BV-Net-USB, required for RS-232 operation	12,400
	BV-Net-Rack	Rack Kit for BV-Net-USB, 3 bays for converters and PSUs	8,500

Amplifiers - Specify 110v or 230v







	T-25	Turbosound 2x1250W into 4 ohm switchmode power amplifier	182,000
	T-475	Turbosound 4x750W into 4 or 8 ohm switchmode power amplifier	224,000
	T-45	Turbosound 2x2250W into 4 ohm switchmode power amplifier	254,000

TFM series—Colour Black or optional TurboBlue			Price List
	TFM-212	Passive 2-way monitor, 2x12" LF, 1" HF, NL4 700 W pgm, Max SPL 133dB Peak, 80Hz-18kHz, 80Hx60V 312mmH x 696mmW x 418mmD, 24kg	80,000
	TFM-420	Bi-amped 2-way Monitor, neo 12" LF, neo 1.5" HF, NL4 LF 600 W HF 200W pgm, Max SPL 136dB Peak, 90Hz-16kHz, 40Hx60V 329mmH x 614mmW x 384mmD, 25.2kg	217,000
	TFM-450	Bi-amped 2-way Monitor, Neo 15" LF, neo 1.5" HF, Speakon LF 800 W HF 200W pgm, Max SPL 136dB Peak, 60Hz-16kHz, 40Hx60V 401mmH x 711mmW x 475mmD, 32kg	236,000
TSB series—Bandpass Enclosures - Colour Black, White or optional TurboBlue			
	TSB-110	Bandpass Subwoofer, 10" LF dual voice coil, push terminals 600 W pgm, Max SPL 126dB Peak, 45Hz-180Hz 330mmH x 585mmW x 330mmD, 16.5kg	32,000
	TSB-212	Bandpass Subwoofer, 2x 12", NL4 1600 W Pgm, Max SPL 138dB Peak, 38Hz-200Hz 420mmHx1000mmWx470mmD, 47kg	91,000
	TSB-118i	Bandpass Subwoofer, 18", NL4 1200 W Pgm, Max SPL 136dB Peak, 40Hz-150Hz 768mmHx574mmWx700mmD, 66kg	128,000
TSW series—Subwoofers - Colour Black or optional TurboBlue			
	TSW-218	Subwoofer, 2x18" Neo 5" Voice Coils, NL4 2400W Pgm, Max SPL 141dB Peak, 28Hz-150Hz 574mmHx1400mmWx770mmD, 110kg Complete with Heavy Duty Wheels	274,000
	TSW-718	Subwoofer, 2x18", Wheels, NL4 1600 W pgm, Max SPL 142dB Peak, 50Hz-250Hz 1293mmH x 574mmW x 770mmD, 110kg	238,000
	TSW-718i	TSW-718 installation version without wheel kit	221,000
QLight™ series—Colour Black or optional TurboBlue			
	TQ-445	Bi-Amped 3-way 12" LF, 6.5" MF, 1" HF, NL4 LF 600 W MF/HF 300W pgm, Max SPL 137dB Peak, 75Hz-20kHz, 60Hx40V 588mmH x 409mmW x 363mmD, 30kg	184,000
	TQ-425	Subwoofer, 2x15" LF, NL4 1600W pgm, Max SPL 138dB Peak 45Hz-200Hz 836mmH x 511mmW x 632mmD, 54kg, inc. wheel kit	155,000
QLight™ DP series Self-powered—Colour Black or optional TurboBlue			
	TQ-445DP	Digital Self-Powered, 3-way, 12" LF, 6.5" MF, 1" HF, Powercon, XLR Max SPL 137dB Peak, 55Hz-20kHz, 60Hx40V 588mmH x 409mmW x 363mmD, 34.5kg	270,000
	TQ-425DP	Digital Self-Powered Subwoofer, 2x15" LF, Powercon, XLR Max SPL 138dB Peak 45Hz-200Hz 836mmH x 511mmW x 632mmD, 57kg	270,000
QLight™ series—Accessories			
	FY-445	Flying Yoke for TQ-445 and TQ-445DP	17,500
	PB-55	Wall Bracket for pole holder mounting	6,500
	FS-445	Flying Strips for TQ-445	3,200
	FB-12	TQ-445 T-Bar	16,500
	PP-445	Pickup point adaptor for FB-12	4,100
	EB-10/18	M10x18mm Eyebolt for TQ-445	1,000
	U-6	Unilock	1,400




NuQ™ series—Colour Black or optional White **Price List**

	NuQ-8	Passive 2-way 8" LF, 1" HF, NL4 500 W pgm, Max SPL 124dB Peak, 60Hz-20kHz, 100Hx60V rotatable 464mmH x 272mmW x 220mmD, 9.5kg	59,000
	NuQ-10	Passive 2-way 10" LF, 1" HF, NL4 600 W pgm, Max SPL 127dB Peak, 55Hz-20kHz, 100Hx60V rotatable 525mmH x 318mmW x 258mmD, 12kg	82,000
	NuQ-12	Passive/Active Switchable 2-way 12" LF, 1.4" HF, NL4 700 W pgm, Max SPL 133dB Peak, 55Hz-20kHz, 80Hx50V rotatable 655mmH x 373mmW x 340mmD, 20kg	110,000
	NuQ-15	Passive/Active Switchable 2-way 15" LF, 1.4" HF, NL4 1200 W pgm, Max SPL 135dB Peak, 50Hz-20kHz, 80Hx50V rotatable 712mmH x 430mmW x 385mmD, 26kg	128,000
	B-15	15" Subwoofer, 1x15", NL4 800 W pgm, Max SPL 132dB Peak, 45Hz-120kHz 464mmH x 574mmW x 620mmD, 36.5kg	91,000
	T4-Wheels	Optional wheel kit for B15/B18	5,000
	B-18	18" Bandpass Subwoofer, 1x18", NL4 1200 W pgm, Max SPL 136dB Peak, 40Hz-150kHz 768mmH x 574mmW x 700mmD, 65kg	137,000
	T4-Wheels	Optional wheel kit for B15/B18	5,000


NuQ-DP™ series—Colour Black or optional White

	NuQ-8DP	Digitally Self-Powered 2-way 8" LF, 1" HF, XLR, Powercon Max SPL 124dB Peak, 60Hz-20kHz, 100Hx60V rotatable 464mmH x 272mmW x 252mmD, 13kg	137,500
	NuQ-10DP	Digitally Self-Powered 2-way 10" LF, 1" HF, XLR, Powercon Max SPL 127dB Peak, 55Hz-20kHz, 100Hx60V rotatable 525mmH x 318mmW x 281mmD, 15.5kg	164,000
	NuQ-12DP	Digitally Self-Powered 2-way 12" LF, 1.4" HF, XLR, Powercon Max SPL 133dB Peak, 55Hz-20kHz, 80Hx50V rotatable 655mmH x 373mmW x 340mmD, 23kg	210,000
	NuQ-15DP	Digitally Self-Powered 2-way 15" LF, 1.4" HF, XLR, Powercon Max SPL 135dB Peak, 50Hz-20kHz, 80Hx50V rotatable 712mmH x 430mmW x 385mmD, 29kg	228,000
	B-15DP	Digitally Self-Powered 15" Subwoofer, 1x15", XLR, Powercon Max SPL 132dB Peak, 45Hz-120kHz 464mmH x 574mmW x 620mmD, 39kg	182,000
	T4-Wheels	Optional wheel kit for B15/B18	5,000
	B-18DP	Digitally Self-Powered 18" Subwoofer, 1x18", XLR, Powercon Max SPL 136dB Peak, 40Hz-150kHz 768mmH x 574mmW x 700mmD, 67.5kg	237,000
	T4-Wheels	Optional wheel kit for B15/B18	5,000

Electronics













	LMS-D24	24 bit 96kHz, 2 input 4 output digital controller with BV-Net	82,000
	LMS-D26	24 bit 96kHz, 2 input 6 output digital controller with BV-Net	105,000
	BV-Net-USB	BV-Net USB/RS-232 Converter, port powered in USB mode	17,500
	BV-Net-PSU	Power supply for BV-Net-USB, required for RS-232 operation	10,000
	BV-Net-Rack	Rack Kit for BV-Net-USB, 3 bays for converters and PSUs	7,500






Amplifiers - Specify 110v or 230v

	T-25	Turbosound 2x1250W into 4 ohm switchmode power amplifier	155,000
	T-475	Turbosound 4x750W into 4 or 8 ohm switchmode power amplifier	189,000
	T-45	Turbosound 2x2250W into 4 ohm switchmode power amplifier	215,000



NuQ Series Systems—Colour Black Specify 220v or 110v			Price List
	System 8	NuQ System comprising: 2x NuQ-8, 2x B15 1x LMS-D24 inc. BV-Net 2x T25 Amplifier 2xPA-120 Poles	765,000
	System 10	NuQ System comprising: 2x NuQ-10, 2x B15 1x LMS-D24 inc. BV-Net 2x T25 Amplifier 2xPA-120 Poles	810,000
	System 12	NuQ System comprising: 2x NuQ-12, 2x B18 1x LMS-D24 inc. BV-Net 1x T25 Amplifier 1x T45 Amplifier 2xPA-90 Poles	1,030,000
	System 15	NuQ System comprising: 2x NuQ-15, 2x B18 1x LMS-D24 inc. BV-Net 2x T45 Amplifier 2xPA-90 Poles	1,135,000
	T4-Wheels	Optional wheel kit for B15/B18 (per subwoofer)	5,000
NuQ-DP Series Systems—Colour Black			
	System 8DP	Self-powered system comprising: 2x NuQ-8DP 2x B15DP 2xPA-120 Poles	643,000
	System 10DP	Self-powered system comprising: 2x NuQ-10DP 2x B15DP 2xPA-120 Poles	700,000
	System 12DP	Self-powered system comprising: 2x NuQ-12DP 2x B18DP 2xPA-90 Poles	898,000
	System 15DP	Self-powered system comprising: 2x NuQ-15DP 2x B18DP 2xPA-90 Poles	935,000
	T4-Wheels	Optional wheel kit for B15/B18 (per subwoofer)	5,000
NuQ™ Series—Accessories			
Flying Yokes—Pole Holders and Clamps optional			
	NuQ-FY8	Flying Yoke for NuQ-8 and NuQ-8DP	15,500
	NuQ-FY10	Flying Yoke for NuQ-10 and NuQ-10DP	16,500
	NuQ-FY12	Flying Yoke for NuQ-12 and NuQ-12DP	17,500
	NuQ-FY15	Flying Yoke for NuQ-15 and NuQ-15DP	20,000
	FY-PH	Pole Holder adapter for Flying Yokes or Swivel Brackets	4,500
	FY-TBar	T-Bar to attach two FY-NuQ8 yokes on one pole or clamp	2,800
	SCLAMP	Scaffold Clamp adapter for Flying Yokes or Swivel Brackets	3,200
Swivel Brackets—Pole Holders and Clamps optional			
	NuQ-SB8	Swivel / U-Bracket for NuQ-8 and NuQ-8DP	6,000
	NuQ-SBE8	Extension Bracket for NuQ-8 and NuQ-8DP	2,800
	NuQ-SB10	Swivel / U-Bracket for NuQ-10 and NuQ-10DP	6,000
	NuQ-SBE10	Extension Bracket for NuQ-10 and NuQ-10DP	2,800
	FY-PH	Pole Holder adapter for Flying Yokes or Swivel Brackets	4,500
	SCLAMP	Scaffold Clamp adapter for Flying Yokes or Swivel Brackets	3,200
Wall and Ceiling Brackets			
	WB-20B	Wall Bracket for NuQ-8 and NuQ-10	5,500
	WB-55B	Wall Bracket for NuQ-12 and NuQ-15	6,800
	PB-55	Wall Bracket for pole holder mounting suitable for: NuQ-8DP, NuQ-10DP, NuQ-12DP and NuQ-15DP	6,500
	EB-10/36	M10x36mm Eyebolt (sold singly)	1,800

TCS Compact Series—Colour Black, White or Optional Custom Colour
Price List


	TCS-081C	Passive 2-way 8" LF, 1" HF, NL4/Terminal Strip 400 W pgm, Max SPL 122dB Peak, 70Hz-20kHz, 100Hx60V 415mmH x 308mmW x 270mmD, 12kg	35,000
	TCS-081CT	Including 100V Line Transformer with 15W, 30W and 60W taps	39,000
	TCS-081CW	Weather Resistant version to IP-54	55,000
	TCS-081CWT	Weather Resistant with 100V Line TX - 15W, 30W, 60W taps	59,000
	TCS-101C	Passive 2-way 10" LF, 1" HF, NL4/Terminal Strip 500 W pgm, Max SPL 125dB, 65Hz-20kHz, 100Hx60V rotatable 508mmHx366mmWx319mmD, 16.5kg	41,000
	TCS-101CT	Including 100V Line Transformer with 30W, 60W and 120W taps	44,500
	TCS-101CW	Weather Resistant version to IP-54	61,000
	TCS-101CWT	Weather Resistant with 100V Line TX - 30W, 60W, 120W taps	65,000
	TCS-121C	Passive 2-way 12" LF, 1" HF, NL4/Terminal Strip 600 W pgm, Max SPL 128dB Peak, 60Hz-20kHz, 70Hx40V 553mmH x 407mmW x 352mmD, 19kg	42,500
	TCS-121CT	Including 100V Line Transformer with 30W, 60W and 120W taps	47,000
	TCS-121CW	Weather Resistant version to IP-54	63,500
	TCS-121CWT	Weather Resistant with 100V Line TX - 30W, 60W, 120W taps	68,000
	TCS-151C	Passive 2-way 15" LF, 1" HF, NL4/Terminal Strip 600 W pgm, Max SPL 130dB Peak, 45Hz-20kHz, 70Hx40V 652mmH x 468mmW x 423mmD, 25.5kg	47,500
	TCS-151CT	Including 100V Line Transformer with 60W, 120W and 240W taps	52,000
	TCS-151CW	Weather Resistant version to IP-54	68,500
	TCS-151CWT	Weather Resistant with 100V Line TX - 60W, 120W, 240W taps	75,000
	TCS-115C	Subwoofer, 15" LF, NL4/Terminal Strip 600W pgm, Max SPL 127dB Peak 43Hz-150Hz 652mmH x 465mmW x 423mmD, 25kg	42,500
	TCS-115CW	Weather Resistant version to IP-54	63,500
	TCS-215C	Subwoofer, 2x15" LF, NL4/Terminal Strip 1200W pgm, Max SPL 133dB Peak 40Hz-150Hz 891mmH x 550mmW x 506mmD, 47kg	66,500
	TCS-215CW	Weather Resistant version to IP-54	89,500
	TCS-118C	Subwoofer, 18" LF, NL4/Terminal Strip 600W pgm, Max SPL 129dB Peak 36Hz-150Hz 652mmH x 540mmW x 484mmD, 30kg	52,500
	TCS-118CW	Weather Resistant version to IP-54	74,000
	TCS-218C	Subwoofer, 2x18" LF, NL4/Terminal Strip 1200W pgm, Max SPL 135dB Peak 36Hz-150Hz 1035mmH x 602mmW x 532mmD, 54.5kg	91,000
	TCS-218CW	Weather Resistant version to IP-54	114,000
TCS Compact Custom Colour Charges - Pantone, RAL or Colour Matching available			
	CC-Setup	Custom Colour paint setup charge - once per colour	23,000
	CC-TCS	Custom Colour painting charge per cabinet	7,400
Wall and Ceiling Brackets			
	WB-20	Wall Bracket for TCS-081C, TCS-101C and TCS 121C	5,500
	WB-55	Wall Bracket for TCS-151C	6,400
	CB-55	Ceiling Bracket for TCS-081C, TCS-101C, 121C and TCS-151C	7,000
	SB-101C	U-Bracket for TCS-101C	2,800
	EB-10/36	M10x36mm Eyebolt (sold singly)	2,000

	TCS-20	Passive 2-way 2x5" LF, HF tweeter, NL4/Terminal Strip 240 W pgm, Max SPL 120dB Peak, 90Hz-20kHz, 120Hx120V 426mmH x 162mmW x 140mmD, 4.5kg	27,000
	TCS-35	Passive 2-way 8" LF, 1" HF, NL4/Terminal Strip 400 W pgm, Max SPL 121dB Peak, 55Hz-18kHz, 120Hx120V 385mmH x 274mmW x 286mmD, 9.7kg	44,500
	TCS-40	Passive 2-way 2X8" LF, 1" HF, NL4/Terminal Strip 480 W pgm, Max SPL 128dB Peak, 70Hz-18kHz, 100Hx40V 296mmH x 806mmW x 260mmD, 19kg	75,500
	TCS-56	Passive 2-way 12" LF, 1" HF, NL4/Terminal Strip 580 W pgm, Max SPL 131dB Peak, 60Hz-20kHz, 60Hx40V 700mmH x 370mmW x 389mmD, 22kg	72,500
	TCS-59	Bi-Amped/Passive 2-way 12" LF, 1" HF, NL4/Terminal Strip 580 W pgm, Max SPL 131dB Peak, 60Hz-20kHz, 90Hx60V 700mmH x 370mmW x 389mmD, 22kg	72,500


Wall and Ceiling Brackets








	WB-10	Wall Bracket for TCS-20 and TCS-30	3,200
	WB-20	Wall Bracket for TCS-35 and TCS-40	5,500
	WB-55	Wall Bracket for TCS-56 and TCS-59	6,400
	CB-10	Ceiling Bracket for TCS-20 and TCS-30	6,400
	CB-55	Ceiling Bracket for TCS-35, TCS-40, TCS-56 and TCS-59	7,000

Swivel Brackets

	SB-20	Swivel / U-Bracket for TCS-20	2,400
	SB-30	Swivel / U-Bracket for TCS-30	2,800
	SB-40	Swivel / U-Bracket for TCS-40	3,200

Ceiling Speakers - Colour White (finish ready for painting)

	TCS-C50T	Passive 2-way 5" LF, HF Tweeter, Screw Terminal Phoenix 150 W pgm, Max SPL 116dB Peak, 75Hz-22kHz, 180Hx180V 268mm Diameter x 219mm Deep inc. backbox, 3.4kg 16ohm, 15W, 30W, 60W taps on switch	9,500
	TCS-C50TB	Tile Bridge for TCS-C50T	1,400

	Impact 50	Passive 2-way 5" LF, HF Tweeter, Push terminals 150 W pgm, Max SPL 116dB Peak, 90Hz-20kHz, 100Hx100V 288mmH x 167mmW x 148mmD, 2.2kg Includes WB-50 Wall Bracket	7,800
	Impact 50T	Passive 2-way 5" LF, HF Tweeter, Push terminals, 70/100V line 200 W pgm, Max SPL 117dB Peak, 80Hz-20kHz, 120Hx120V 288mmH x 167mmW x 148mmD, 3.8kg Includes WB-50 Wall Bracket	9,200
	Impact 80.2	Passive 2-way 8" LF, HF Tweeter, Pole Mount, Binding Posts 400 W pgm, Max SPL 125dB Peak, 70Hz-18kHz, 60Hx60V 480mmH x 295mmW x 250mmD, 6.6kg Includes WB-50 Wall Bracket	26,000
	TSB-110	Bandpass Subwoofer, 10" LF dual voice coil, push terminals 600 W pgm, Max SPL 126dB Peak, 45Hz-180Hz 330mmH x 585mmW x 330mmD, 16.5kg	32,000
Wall and Ceiling Brackets			
	WB-10	Wall Bracket for Impact 50	3,200
	WB-20	Wall Bracket for Impact 80	5,500
	WB-50	Plastic Wall Bracket for Impact 50 (Supplied with cabinet)	1,000
	CB-50	4-way cluster bracket for Impact 50	3,700
	CB-55	Ceiling Bracket for Impact 80	6,800
	SM-50	Single point/mic stand bracket for Impact 50	1,700

	TXD-081	Passive 2-way 8" LF, 1" HF, NL4 400 W prog, Max SPL 122dB Peak, 70Hz-20kHz, 100Hx60V 415mmH x 307mmW x 270mmD, 11.3kg	35,000
	TXD-121	Passive 2-way 12" LF, 1" HF, NL4 600 W pgm, Max SPL 128dB Peak, 60Hz-20kHz, 70Hx40V 553mmH x 411mmW x 352mmD, 20kg	42,500
	TXD-151	Passive 2-way 15" LF, 1" HF, NL4 600 W pgm, Max SPL 130dB Peak, 45Hz-20kHz, 70Hx40V 652mmH x 465mmW x 423mmD, 28kg	47,500
	TXD-252	Bi-Amped/Passive 2-way 2x15" LF, 1.5" HF, NL4 2000 W pgm, Max SPL 133dB Peak, 44Hz-17kHz, 80Hx50V rotatable 1220mmH x 540mmW x 434mmD, 49kg	95,500
	TXD-12M	Passive 2-way 12" LF, 1" HF, NL4 600 W pgm, Max SPL 128dB Peak, 65Hz-20kHz, 40Hx70V 435mmH x 553mmW x 288mmD, 18kg	44,000
	TXD-15M	Bi-Amped/Passive 2-way 15" LF, 1.5" HF, NL4 600 W pgm, Max SPL 130dB Peak, 65Hz-18kHz, 40Hx60V 652mmH x 547mmW x 363mmD, 30kg	72,000
	TXD-115	Subwoofer, 15" LF, NL4 600W pgm, Max SPL 127dB Peak 43Hz-150Hz 652mmH x 465mmW x 423mmD, 25kg	42,500
	TXD-215	Subwoofer, 2x15" LF, NL4 1200W pgm, Max SPL 133dB Peak 40Hz-150Hz 891mmH x 550mmW x 505mmD, 47kg	66,500
	TXD-118	Subwoofer, 18" LF, NL4 600W pgm, Max SPL 129dB Peak 36Hz-150Hz 652mmH x 540mmW x 484mmD, 28kg	52,500
	TXD-218	Subwoofer, 2x18" LF, NL4 1200W pgm, Max SPL 135dB Peak 36Hz-150Hz 1035mmH x 602mmW x 532mmD, 57kg	91,000
Wall and Ceiling Brackets			
	WB-20	Wall Bracket for TXD-081 and TXD-121	5,500
	WB-55	Wall Bracket for TXD-151	6,500
	CB-55	Ceiling Bracket for TXD-081, TXD-121 and TXD-151	6,800
	PB-55	Wall Bracket for pole holder mounting suitable for: TXD-081, TXD-121 and TXD-151	6,500
	EB-10/36	M10x36mm Eyebolt	1,800
	PA-60	60cm Speaker Pole	2,300
	PA-90	90cm Speaker Pole	2,500
	PA-100	100cm Speaker Pole	2,600
	PA-120	120cm Speaker Pole	2,800
	T4-Wheels	Wheel kit for TXD-215 and TXD-218	5,000